## TOP CECOFT

Copy 1 5 Pages NPIC/R-49/64 January 1964

PHOTOGRAPHIC INTERPRETATION REPORT


## PERM, USSR

DECLASS REVIEW BY NIMA / DoD





NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



TOD CECDET

OROGEP (
Encluded been evilabilities
Encluded been evilabilities on the contraction of th

TOP SECRET	
------------	--

## ROCKET TEST FACILITY NEAR PERM, USSR

The Perm Rocket Test Facility is located at 58-01N 56-34E, 10.5 nautical miles (nm)east of Perm, USSR (Figure 1). The facility contains one large vertical stand for testing liquid propellants and associated facilities. The facility appears to be complete and operational on pho-When first seen on photography of 25X1D tography of the major buildings were present, but the entering rail line and rail spurs were not complete.

The Rocket Test Facility is situated in a wooded and well-drained area. A good road connects the facility to a newly constructed highway which extends from Perm eastward to Sviva on the Sylva River. A rail spur from the doubletrack Perm/Chusovoy rail line enters the southeast side of the facility, then branches into four spurs. A power-line trace to the facility possibly extends from a hydroelectric plant north of Perm.

The facility is surrounded by two fences and a wall. An outer fence encloses 420 acres and an inner fence and a wall 122 acres. The facility itself is mostly within the inner wall. Structures at the facility (Figure 2) include a large vertical stand for testing liquid propellants (item 1), a checkout building (item 2), a control/ observation building (item 3), a possible laboratory building (item 4), a warehouse for rail-torail transfer (item 8), fuel storage tanks (item 9), and engineering, shop, storage, and administration buildings.

The test stand is situated in the western part of the facility in the center of an excavation cut into the curve of a natural embankment. A service road from the fuel storage area leads to the base of the test stand and the natural drainage away from the stand is toward the Sylva River.

The test stand is apparently totally enclosed (Figure 3). It measures 75 by 75 feet and has an overall height of 190 feet, including base, tower, and structures atop the tower. No division between the base and the tower portions of the test stand is visible; the division is deduced as being located at the ramp level. The base or blast deflector is 100 feet high, and the tower or superstructure portion is 65 feet high. Atop the tower are a 25-foot-high boxlike structure measuring 75 by 20 feet and two tanks which are probably spherical, each measuring approximately 35 feet in diameter. At the 100-foot level (the top of the test stand base), a ramp approximately 25 feet wide leads to the road connecting with the checkout building 650 feet away. A bridge or conduit also joining the stand near the 100-foot level connects the stand with the control/observation building 200 feet to the northeast. An enclosed addition attached to the superstructure protrudes approximately 40 feet from the tower portion of the test stand on the side of the tower opposite the ramp. The blast pit at the foot of the stand is estimated to measure 150 by 85 feet.

- 1 -TOP SECRET

TOP SECRET	
------------	--




FIGURE 1. ROCKET TEST FACILITY NEAR PERM, USSR,

\_ 2 \_ 25X1D

TOP SECRET

25X1D 25X1D





FIGURE 2. LAYOUT OF ROCKET TEST FACILITY.

- 3 -

TOP SECRET



TOP SECRET

FIGURE 3. CONCEPT OF TEST STAND.

ТОР	SECRET	

REFERENCES

•	PHOTOGRAPHY			
D				
	MAPS OR CHARTS  ACIC. US Air Targe	t Chart, Series 200, Sheet	0156-11AL, 2d ed, Nov 59, scale	1:200,000 (SECRET)
	DOCUMENTS  1. NPIC/R-116/63,	Perm Rocket Test Facilis	y, USSR, Jun 63 (TOP SECRET	) South Cuided Miss
	GMAIC PWG. SO	C-10635. 63 (TOP SECRET	Supplement, Evaluation	of Evidence on Soviet Guided Mis
С				
С	REQUIREMENT			
	CIA. C-RR3-60,447			
	NPIC PROJECT			
	J-270/63			
			•	
	新·	8		
	•			
			_	
			- 5 -	
		TOP SEC	DET	